

# Andersen® Open/Closed Wireless Security Sensors – Spec Sheet

## Technical information for: Security Providers and IT Technicians

### Product Overview

When you want the peace of mind of knowing whether your windows and patio doors are open or closed, these sensors are a simple, reliable solution\*. Andersen® open/closed wireless security sensors provide a sleek, compact design that is available in a variety of colors to match your Andersen® products.

### Features & Benefits

- Works on any window or door unit
- Open/Closed status\*
- Easy replaceable Lithium coin cell battery
- Maintains the window or patio door limited warranty
- Color matched to Andersen®, Silverline, and American Craftsman products.
- Easy DIY installation – LED glows when sensor is properly aligned

### Applications

- Available for use with all Andersen®, Silverline, and American Craftsman windows and patio doors

### Technical Data:

#### Power Source

- 3V Lithium battery (supplied)

#### Transmit Frequency

- 345 MHz

#### Compatibility

- **Compatible with all Honeywell 5800 Series Wireless control panels**

#### Security Panel Requirements

- Each Open/Closed sensor utilizes one loop and therefore one wireless zone.
  - Loop 1 is used to provide open/closed notification

#### Third Party Integrations

- Vendors
  - Control4®
  - Lutron RadioRa 2®
  - Savant Systems, LLC
  - Universal Remote Controls
  - Key Digital®
  - Crestron®
  - Nexia Home Intelligence
  - Wink

Requires the use of Honeywell connected building module 4232CBM and VISTA™ series security panel.

Requires the use of Andersen® Translator. (PN 9142223)

\*When properly configured and maintained with a professionally installed security system and/or self-monitoring system compatible with Honeywell® 5800 sensors. See your dealer for more information.

#### Agency Listings

- FCC
- IC
- cETLus

#### Warranty

- Two year limited warranty

#### How to Order

- Your local Andersen® dealer
- The Home Depot®
- Andersen® Parts Store  
<https://parts.andersenwindows.com>

#### Related Publications

- General Information:  
<https://www.andersenwindows.com/connect>
- Third party integrations:  
<https://security.honeywell.com/hsc/solutions/integration/index.html>  
<http://www.nexiahome.com/>  
<http://www.wink.com/>

#### Technical Support

- Contact Andersen® Customer Service: 855-337-8806
- Please visit  
<https://www.andersenwindows.com/connect>

